



THIS DRAWING IS A CONTROLLED DOCUMENT: B1117061

USD ON




Left Side
 Connector(s): LC-Duplex Secure
 Mode: MM
 Housing Color: Orange
 Geom. Spec: N/A

Fiber Path

- A - - Fiber B
- B - - Fiber A

Right Side
 Connector(s): MT-RJ (No Pins)
 Mode: MM
 Housing Color: Black
 Geom. Spec: 115-1215

- Notes:**
- 2 Includes dust caps (not shown on print).
 - 3 OM3 assemblies tested at 850nm, all other multimode tested at 1300nm
 - 4 Label 2 will not be present on any cable assembly less than 5 meters long.



VIEW D-D
 NOT TO SCALE

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION. IT MAY NOT BE DISCLOSED TO ANY OTHER PERSON OR ENTITY WITHOUT THE WRITTEN AUTHORIZATION OF TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

LOC
 CE
 DIST
 16

| Rev | Per | EC# | RELEASE | DATE | DIN | APVD |
|-----|-----|-----|-----------------|-----------|-----|------|
| A1 | | | | 2/21/2011 | - | DK |
| P | LTR | | REVISION RECORD | DATE | DIN | APVD |

DIMENSIONS:
 meters

TOLERANCES UNLESS OTHERWISE SPECIFIED:

| | | | |
|---|-----|---|---|
| Ø | PLC | ± | - |
| □ | PLC | ± | - |
| □ | PLC | ± | - |
| □ | PLC | ± | - |
| □ | PLC | ± | - |

Restricted To:
 √

| | | | | | |
|-------|---|---|----|------------|-----------|
| DIN | Cable Assy Configurator | MATERIAL | - | HEAT TREAT | - |
| CHK | Doug Kirsch | Tyco Electronics, Inc. Harrisburg, PA 17105-3608 | | | |
| APVD | Doug Kirsch | | | | |
| NAME | FO C/A - 2 fiber, 50/125, OFNP (Plenum) jacket, LC-Duplex Secure to MT-RJ (No Pins) | | | | |
| SCALE | NTS | SIZE | A2 | DRAWING NO | C-1907118 |
| SHEET | 1 of 4 | REV | A1 | | |

THIS DRAWING IS A CONTROLLED DOCUMENT.

| Part # | L (meters) | L (feet) | LC-Duplex Secure, Orange | | MT-RJ (No Pins), Black | |
|-------------|-----------------|-----------------|--------------------------|---------|------------------------|---------|
| | | | IL (dB) | RL (dB) | IL (dB) | RL (dB) |
| 0-1907118-1 | 0.950 - 1.050 | 3.11 - 3.44 | 0.5 | - | 0.5 | 20 |
| 0-1907118-2 | 1.950 - 2.050 | 6.39 - 6.72 | 0.5 | - | 0.5 | 20 |
| 0-1907118-3 | 2.950 - 3.050 | 9.67 - 10.00 | 0.5 | - | 0.5 | 20 |
| 0-1907118-4 | 3.920 - 4.080 | 12.86 - 13.38 | 0.51 | - | 0.51 | 20 |
| 0-1907118-5 | 4.920 - 5.080 | 16.14 - 16.66 | 0.51 | - | 0.51 | 20 |
| 0-1907118-6 | 5.920 - 6.080 | 19.42 - 19.94 | 0.51 | - | 0.51 | 20 |
| 0-1907118-7 | 6.920 - 7.080 | 22.70 - 23.22 | 0.51 | - | 0.51 | 20 |
| 0-1907118-8 | 7.920 - 8.080 | 25.98 - 26.50 | 0.51 | - | 0.51 | 20 |
| 0-1907118-9 | 8.850 - 9.150 | 29.03 - 30.01 | 0.51 | - | 0.51 | 20 |
| 1-1907118-0 | 9.850 - 10.150 | 32.31 - 33.30 | 0.52 | - | 0.52 | 20 |
| 1-1907118-1 | 10.850 - 11.150 | 35.59 - 36.58 | 0.52 | - | 0.52 | 20 |
| 1-1907118-2 | 11.850 - 12.150 | 38.87 - 39.86 | 0.52 | - | 0.52 | 20 |
| 1-1907118-3 | 12.850 - 13.150 | 42.15 - 43.14 | 0.52 | - | 0.52 | 20 |
| 1-1907118-4 | 13.850 - 14.150 | 45.43 - 46.42 | 0.52 | - | 0.52 | 20 |
| 1-1907118-5 | 14.850 - 15.150 | 48.72 - 49.70 | 0.52 | - | 0.52 | 20 |
| 1-1907118-6 | 15.840 - 16.160 | 51.96 - 53.01 | 0.52 | - | 0.52 | 20 |
| 1-1907118-7 | 16.830 - 17.170 | 55.21 - 56.33 | 0.53 | - | 0.53 | 20 |
| 1-1907118-8 | 17.820 - 18.180 | 58.46 - 59.64 | 0.53 | - | 0.53 | 20 |
| 1-1907118-9 | 18.810 - 19.190 | 61.71 - 62.95 | 0.53 | - | 0.53 | 20 |
| 2-1907118-0 | 19.800 - 20.200 | 64.96 - 66.27 | 0.53 | - | 0.53 | 20 |
| 2-1907118-1 | 20.790 - 21.210 | 68.20 - 69.58 | 0.53 | - | 0.53 | 20 |
| 2-1907118-2 | 21.780 - 22.220 | 71.45 - 72.90 | 0.53 | - | 0.53 | 20 |
| 2-1907118-3 | 22.770 - 23.230 | 74.70 - 76.21 | 0.53 | - | 0.53 | 20 |
| 2-1907118-4 | 23.760 - 24.240 | 77.95 - 79.52 | 0.54 | - | 0.54 | 20 |
| 2-1907118-5 | 24.750 - 25.250 | 81.20 - 82.84 | 0.54 | - | 0.54 | 20 |
| 2-1907118-6 | 25.740 - 26.260 | 84.44 - 86.15 | 0.54 | - | 0.54 | 20 |
| 2-1907118-7 | 26.730 - 27.270 | 87.69 - 89.46 | 0.54 | - | 0.54 | 20 |
| 2-1907118-8 | 27.720 - 28.280 | 90.94 - 92.78 | 0.54 | - | 0.54 | 20 |
| 2-1907118-9 | 28.710 - 29.290 | 94.19 - 96.09 | 0.54 | - | 0.54 | 20 |
| 3-1907118-0 | 29.700 - 30.300 | 97.44 - 99.40 | 0.55 | - | 0.55 | 20 |
| 3-1907118-1 | 30.690 - 31.310 | 100.68 - 102.72 | 0.55 | - | 0.55 | 20 |
| 3-1907118-2 | 31.680 - 32.320 | 103.93 - 106.03 | 0.55 | - | 0.55 | 20 |
| 3-1907118-3 | 32.670 - 33.330 | 107.18 - 109.35 | 0.55 | - | 0.55 | 20 |
| 3-1907118-4 | 33.660 - 34.340 | 110.43 - 112.66 | 0.55 | - | 0.55 | 20 |
| 3-1907118-5 | 34.650 - 35.350 | 113.68 - 115.97 | 0.55 | - | 0.55 | 20 |
| 3-1907118-6 | 35.640 - 36.360 | 116.92 - 119.29 | 0.55 | - | 0.55 | 20 |
| 3-1907118-7 | 36.630 - 37.370 | 120.17 - 122.60 | 0.56 | - | 0.56 | 20 |
| 3-1907118-8 | 37.620 - 38.380 | 123.42 - 125.91 | 0.56 | - | 0.56 | 20 |
| 3-1907118-9 | 38.610 - 39.390 | 126.67 - 129.23 | 0.56 | - | 0.56 | 20 |
| 4-1907118-0 | 39.600 - 40.400 | 129.92 - 132.54 | 0.56 | - | 0.56 | 20 |
| 4-1907118-1 | 40.590 - 41.410 | 133.16 - 135.85 | 0.56 | - | 0.56 | 20 |
| 4-1907118-2 | 41.580 - 42.420 | 136.41 - 139.17 | 0.56 | - | 0.56 | 20 |

| Qty | U of M | Description | Item No. |
|-----|--------|--|----------|
| 2 | piece | Trace Label | 14 |
| 2 | piece | Eyelet/Shrink tube assembly - White | 13 |
| 1 | piece | MT-RJ TwinZip Bend Limiting Boot, Beige | 12 |
| 1 | piece | MT-RJ FERRULE, THERMOPLAST,MM | 11 |
| AR | meter | 2 fiber, 50/125, 1.8mm, Twinzip, Orange, OFNP (Plenum) | 10 |
| 2 | piece | LC Connector Assy, 1.6mm-2.0mm, MM | 9 |
| 1 | piece | LC Duplex clip, black | 8 |
| 2 | piece | LC, SC, FC Straight Boot, Beige | 7 |
| 1 | piece | CRIMP EYELET, MT-RJ | 6 |
| 1 | piece | MT-RJ, SPRING PUSH, UNIVERSAL | 5 |
| 1 | piece | PIN KEEPER, 3.8MM | 4 |
| 1 | piece | SPRING, MT-RJ, 3.8 DESIGN | 3 |
| 1 | piece | DUST COVER, MT-RJ | 2 |
| 1 | piece | HOUSING, CONN, MT-RJ, BLACK | 1 |

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS, INC. IT IS TO BE KEPT CONFIDENTIAL AND NOT DISCLOSED TO ANY OTHER PERSONS OR ORGANIZATIONS WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

LOC
CE
DIST
16

| | | | | | | | |
|----|---------|-----|-----------------|-----------|-----|------|------|
| | | | | | | | |
| A1 | Rev Per | EC# | RELEASE | 2/21/2011 | - | DK | APVD |
| P | LTR | | REVISION RECORD | DATE | DIN | APVD | |

DIMENSIONS: meters

RESTRICTED TO: $\sqrt{\quad}$

| | | | | | |
|-------|-------------------------|---|--------|------------|---|
| DIN | Cable Assy Configurator | MATERIAL | - | HEAT TREAT | - |
| CHK | Doug Kirsch | Tyco Electronics, Inc. Harrisburg, PA 17105-3608 | | | |
| APVD | Doug Kirsch | NAME FO C/A - 2 fiber, 50/125, OFNP (Plenum) jacket, LC-Duplex Secure to MT-RJ (No Pins) | | | |
| SCALE | SIZE | DRAWING NO | SHEET | REV | |
| NTS | A2 | C-1907118 | 2 of 4 | A1 | |

8

7

6

5

4

3

2

1

D
C
B
A

THIS DRAWING IS A CONTROLLED DOCUMENT.

| Part # | L (meters) | L (feet) | LC-Duplex Secure, Orange | | MT-RJ (No Pins), Black | |
|-------------|-----------------|-----------------|--------------------------|---------|------------------------|---------|
| | | | IL (dB) | RL (dB) | IL (dB) | RL (dB) |
| 4-1907118-3 | 42.570 - 43.430 | 139.66 - 142.48 | 0.56 | - | 0.56 | 20 |
| 4-1907118-4 | 43.560 - 44.440 | 142.91 - 145.80 | 0.57 | - | 0.57 | 20 |
| 4-1907118-5 | 44.550 - 45.450 | 146.16 - 149.11 | 0.57 | - | 0.57 | 20 |
| 4-1907118-6 | 45.540 - 46.460 | 149.40 - 152.42 | 0.57 | - | 0.57 | 20 |
| 4-1907118-7 | 46.530 - 47.470 | 152.65 - 155.74 | 0.57 | - | 0.57 | 20 |
| 4-1907118-8 | 47.520 - 48.480 | 155.90 - 159.05 | 0.57 | - | 0.57 | 20 |
| 4-1907118-9 | 48.510 - 49.490 | 159.15 - 162.36 | 0.57 | - | 0.57 | 20 |
| 5-1907118-0 | 49.500 - 50.500 | 162.40 - 165.68 | 0.58 | - | 0.58 | 20 |
| 5-1907118-1 | 50.490 - 51.510 | 165.64 - 168.99 | 0.58 | - | 0.58 | 20 |
| 5-1907118-2 | 51.480 - 52.520 | 168.89 - 172.30 | 0.58 | - | 0.58 | 20 |
| 5-1907118-3 | 52.470 - 53.530 | 172.14 - 175.62 | 0.58 | - | 0.58 | 20 |
| 5-1907118-4 | 53.460 - 54.540 | 175.39 - 178.93 | 0.58 | - | 0.58 | 20 |
| 5-1907118-5 | 54.450 - 55.550 | 178.64 - 182.25 | 0.58 | - | 0.58 | 20 |
| 5-1907118-6 | 55.440 - 56.560 | 181.88 - 185.56 | 0.58 | - | 0.58 | 20 |
| 5-1907118-7 | 56.430 - 57.570 | 185.13 - 188.87 | 0.59 | - | 0.59 | 20 |
| 5-1907118-8 | 57.420 - 58.580 | 188.38 - 192.19 | 0.59 | - | 0.59 | 20 |
| 5-1907118-9 | 58.410 - 59.590 | 191.63 - 195.50 | 0.59 | - | 0.59 | 20 |
| 6-1907118-0 | 59.400 - 60.600 | 194.88 - 198.81 | 0.59 | - | 0.59 | 20 |
| 6-1907118-1 | 60.390 - 61.610 | 198.12 - 202.13 | 0.59 | - | 0.59 | 20 |
| 6-1907118-2 | 61.380 - 62.620 | 201.37 - 205.44 | 0.59 | - | 0.59 | 20 |
| 6-1907118-3 | 62.370 - 63.630 | 204.62 - 208.75 | 0.59 | - | 0.59 | 20 |
| 6-1907118-4 | 63.360 - 64.640 | 207.87 - 212.07 | 0.6 | - | 0.6 | 20 |
| 6-1907118-5 | 64.350 - 65.650 | 211.12 - 215.38 | 0.6 | - | 0.6 | 20 |
| 6-1907118-6 | 65.340 - 66.660 | 214.37 - 218.70 | 0.6 | - | 0.6 | 20 |
| 6-1907118-7 | 66.330 - 67.670 | 217.61 - 222.01 | 0.6 | - | 0.6 | 20 |
| 6-1907118-8 | 67.320 - 68.680 | 220.86 - 225.32 | 0.6 | - | 0.6 | 20 |
| 6-1907118-9 | 68.310 - 69.690 | 224.11 - 228.64 | 0.6 | - | 0.6 | 20 |
| 7-1907118-0 | 69.300 - 70.700 | 227.36 - 231.95 | 0.61 | - | 0.61 | 20 |
| 7-1907118-1 | 70.290 - 71.710 | 230.61 - 235.26 | 0.61 | - | 0.61 | 20 |
| 7-1907118-2 | 71.280 - 72.720 | 233.85 - 238.58 | 0.61 | - | 0.61 | 20 |
| 7-1907118-3 | 72.270 - 73.730 | 237.10 - 241.89 | 0.61 | - | 0.61 | 20 |
| 7-1907118-4 | 73.260 - 74.740 | 240.35 - 245.20 | 0.61 | - | 0.61 | 20 |
| 7-1907118-5 | 74.250 - 75.750 | 243.60 - 248.52 | 0.61 | - | 0.61 | 20 |
| 7-1907118-6 | 75.240 - 76.760 | 246.85 - 251.83 | 0.61 | - | 0.61 | 20 |
| 7-1907118-7 | 76.230 - 77.770 | 250.09 - 255.15 | 0.62 | - | 0.62 | 20 |
| 7-1907118-8 | 77.220 - 78.780 | 253.34 - 258.46 | 0.62 | - | 0.62 | 20 |
| 7-1907118-9 | 78.210 - 79.790 | 256.59 - 261.77 | 0.62 | - | 0.62 | 20 |
| 8-1907118-0 | 79.200 - 80.800 | 259.84 - 265.09 | 0.62 | - | 0.62 | 20 |
| 8-1907118-1 | 1.450 - 1.550 | 4.75 - 5.08 | 0.5 | - | 0.5 | 20 |

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS, INC. IT IS THE PROPERTY OF TYCO ELECTRONICS, INC. AND IS NOT TO BE DISCLOSED TO ANYONE OTHER THAN THOSE EMPLOYEES OF TYCO ELECTRONICS, INC. WHO HAVE BEEN AUTHORIZED TO DO SO. TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA

LOC
CE
DIST
16

| | | | | | |
|----|-------------|-----------------|-----------|-----|------|
| A1 | Rev Per EC# | RELEASE | 2/21/2011 | - | DK |
| P | LTR | REVISION RECORD | DATE | DIN | APVD |

DIMENSIONS:
millimeters

RESTRICTED TO:
v

| | | | | | |
|-------|---|---|----|------------|-----------|
| DIN | Cable Assy Configurator | MATERIAL | - | HEAT TREAT | - |
| CHK | Doug Kirsch | Tyco Electronics, Inc. Harrisburg, PA 17105-3608 | | | |
| APVD | Doug Kirsch | | | | |
| NAME | FO C/A - 2 fiber, 50/125, OFNP (Plenum) jacket, LC-Duplex Secure to MT-RJ (No Pins) | | | | |
| SCALE | NTS | SIZE | A2 | DRAWING NO | C-1907118 |
| SHEET | 3 | OF 4 | | REV | A1 |

8 7 6 5 4 3 2 1

Label 1

Per specification 107-1645-1



- Trace # - Bar Code
- Trace # - Human Readable
- Part Number
- Country of Origin

This label is used on all lengths on this drawing.

Label 2

Per specification 107-1645-1



- Trace # - Bar Code
- Trace # - Human Readable
- Part Number
- Country of Origin

This label is used on all lengths on this drawing.

THIS DRAWING IS A CONTROLLED DOCUMENT.

THIS INFORMATION IS CONFIDENTIAL AND PROPRIETARY TO TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA. IT IS THE PROPERTY OF TYCO ELECTRONICS CORPORATION AND IS NOT TO BE DISCLOSED TO ANY OTHER PARTY WITHOUT WRITTEN AUTHORIZATION FROM TYCO ELECTRONICS CORPORATION, HARRISBURG, PENNSYLVANIA.

LOC
CE
DIST
16

| | | | | | | | |
|----|-------------|-----------------|-----------|-----|------|--|--|
| | | | | | | | |
| A1 | Rev Per EC# | RELEASE | 2/21/2011 | - | DK | | |
| P | LTR | REVISION RECORD | DATE | DIN | APVD | | |

DIMENSIONS: meters

RESTRICTED TO:

✓

| | | | | | |
|-------|---|---|----|------------|-----------|
| DIN | Cable Assy Configurator | MATERIAL | - | HEAT TREAT | - |
| CHK | Doug Kirsch | Tyco Electronics, Inc. Harrisburg, PA 17105-3608 | | | |
| APVD | Doug Kirsch | | | | |
| NAME | FO C/A - 2 fiber, 50/125, OFNP (Plenum) jacket, LC-Duplex Secure to MT-RJ (No Pins) | | | | |
| SCALE | NTS | SIZE | A2 | DRAWING NO | C-1907118 |
| SHEET | 4 of 4 | REV | A1 | | |